

Contents – Volume 53

Number 1, January 1998

Editorials

- 1 Regulations and safety in medical equipment design
L. J. Grant

Main articles

- 4 Clinical usefulness of the bispectral index for titrating propofol target effect-site concentration
M. Struys, L. Versichelen, G. Byttebier, E. Mortier, A. Moerman and G. Rolly
- 13 A comparison of near-infrared spectroscopy and jugular bulb oximetry in comatose patients resuscitated from a cardiac arrest
G. Buunk, J. G. van der Hoeven and A. E. Meinders
- 20 Haemodilution tolerance in patients with mitral regurgitation
D. R. Spahn, B. Seifert, T. Pasch and E. R. Schmid
- 25 Dose–response and time-course of the effect of rocuronium bromide during sevoflurane anaesthesia
F. S. Xue, X. Liao, S. Y. Tong, J. H. Liu, G. An and L. K. Luo
- 31 The feasibility, safety and cost of infiltration anaesthesia for hernia repair
T. Callesen, K. Bech, H. Kehlet and the Hvidovre Hospital Hernia Group
- 36 Interaction of vecuronium and atracurium during halothane anaesthesia in children
M. H. Sloan, B. Bissonnette and J. Lerman

Apparatus

- 41 Airway auscultation. A new method of confirming tracheal intubation
S. J. B. Nicoll and C. J. King
- 46 Small tubes revisited
K. F. Koh, J. D. Hare and I. Calder
- 51 The laryngeal mask as an antipollution device
K. O'Hare and W. J. Kerr

Review article

- 55 Transoesophageal echocardiography in the critically ill
J. Poelaert, C. Schmidt and F. Colardyn

Case reports

- 69 Accidental pleural puncture by a thoracic epidural catheter
M. Zaugg, S. Stoehr, W. Weder and A. Zollinger
- 72 Failed intubation and emergency percutaneous tracheostomy
D. P. Doh, H. A. McLaren and N. Soni

- 75 Failure of chest X-rays to diagnose pneumothoraces after blunt trauma
J. A. Collins and G. S. Samra

Forum

- 79 Pain on injection of propofol. A comparison of cold propofol with propofol premixed with lignocaine
A. K. Parmar and C. K. Koay
- 83 Pain after vasectomy
P. McConaghy, M. Reid, V. Loughlin and B. K. Huss
- 86 SHO training in anaesthetics. How good is it?
G. A. Bunch, J. Bahrami and R. Macdonald

Correspondence

- 89 Is excessive care mortality in the United Kingdom concealed by ICU mortality prediction models
D. R. Goldhill and P. S. Withington
- 91 Early death amongst anaesthetists. A statistical howler
I. C. McManus
- 91 Self-administration of pre-operative analgesic suppositories
D. Jolliffe
- 91 Combined introducer for reinforced laryngeal mask airway
P. Maino, M. Pilkington and M. Popat
- 92 Cuff inflator for tracheal tube
J. Francis, M. O. Abdelatt and B. S. K. Kamath
- 93 Use of a tracheal tube and capnograph for insertion of a feeding tube
T. Asai
- 93 Testing regional anaesthesia before Caesarean section
I. F. Russell
- 94 Cricoid pressure in chaos
R. G. Vanner
- 95 The use of CO₂ gap to monitor splanchnic oxygenation
G. P. Findlay
- 96 Prediction of outcome by pH_i, pH_a and CO₂ gap
G. P. Findlay
- 98 Reshaping the Macintosh blade
W. H. Maleck and K. P. Koetter
- 98 Non-rewireable plugs
A. Hindle
- 99 Over reliance on pulse oximetry
S. Pickard and S. Fayed
- 100 The 'non-empty' bottle revisited
A. Ferguson
- 100 Attenuation of pain on injection of propofol – an unexpected benefit of co-induction with midazolam
J. W. Mackenzie
- 101 The use of heparin in arterial lines
M. Blackmore, R. Maundrill and N. G. Lavie
- 101 Anaesthesia, anaesthetics and anaesthesiology
R. I. Bodman
- 102 **Book reviews**
- 105 **Deaths of members reported to Council**

Number 2, February 1998

Editorials

- 107 Anaesthesia for Caesarean section in patients with aortic stenosis: the case for regional anaesthesia *D. Brighthouse*
- 109 Anaesthesia for Caesarean section in patients with aortic stenosis: the case for general anaesthesia *A. Whitfield and A. Holdcroft*

Main articles

- 113 Intensive care services: a crisis of increasing expressed demand *A. Parker, R. Wyatt and S. Ridley*
- 121 Quantifying meaningful changes in pain *W. I. Campbell and C. C. Patterson*
- 126 Timing of removal of the laryngeal mask airway *J. Nunez, J. Hughes, K. Wareham and T. Asai*
- 131 Reporting of 'hypotension' after epidural analgesia during labour. Effect of choice of arm and timing of baseline readings *S. M. Kinsella and A. M. S. Black*
- 136 A portable self-learning fuzzy logic control system for muscle relaxation *N. D. Edwards, D. G. Mason and J. J. Ross*
- 140 Neuromuscular interactions between mivacurium and esmolol in rabbits *K. S. Kim, K. H. Kim, W. J. Shin and H. K. Yoo*

Apparatus

- 146 The influence of neck position on ventilation using the Combitude airway *M. H. Mercer and D. A. Gabbott*
- 151 Effect of orifice-area reduction on flow characteristics during injection through spinal needles *M. R. Myers and R. A. Malinauskas*

Review article

- 157 The aetiology and prevention of peri-operative corneal abrasions *E. White and M. M. Crosse*

Special communication

- 162 Dutch case-control study of anaesthesia-related morbidity and mortality. Rationale and methods *M. S. Arbous, D. E. Grobbee, J. W. van Kleef and A. E. E. Meuring*

Case reports

- 169 Regional anaesthesia with a subarachnoid microcatheter for Caesarean section in a parturient with aortic stenosis *A. Pittard and M. Vicevic*
- 173 Rescue from neutropenic fever and a bamboo pole *C. Y. Yi and I. K. S. Tan*
- 177 Requirements for muscle relaxation in Friedreich's ataxia *H. Mouloudi, C. Katsanoulas and G. Frantzeskos*
- 181 Blood transfusion facilitating difficult weaning from the ventilator *B. Schönhofer, H. Bohrer and D. Kohler*
- 184 Bilateral lingual nerve injury following the use of the laryngeal mask airway *S. Majumder and P. M. Hopkins*

- 186 Cerebral infarct following central venous cannulation *N. A. Zaidi, M. Khan, H. I. Naqvi and R. S. Kamal*

Forum

- 192 How would patients prefer to spend the waiting time before their operations? *R. Hyde, F. Bryden and A. J. Ashbury*
- 195 The effect of music on anaesthetists' psychomotor performance *C. R. E. Hawksworth, P. Sivalingam and A. J. Ashbury*
- 197 A new gas jet method for the assessment of sensory block after spinal anaesthesia *J. C. Hughes and M. Harmer*

Correspondence

- 201 Paediatric anaesthesia: who should do it? *C. Heneghan, and C. Harrison*
R. McNicol
- 202 The McCoy laryngoscope *E. McCoy*
- 203 Effect of jaw thrust manoeuvre on the laryngeal inlet *K. Murashima and T. Fukutome*
- 204 Use of a deflation tool before sterilisation of the laryngeal mask *T. Asai and K. Koga*
- 205 Retrograde blind nasal intubation via the intubating laryngeal mask *F. Agrò, M. Giampalmo and J. Brimacombe*
- 205 Supervision: what is more important, quantity or quality? *E. J. Hammond and A. K. McIndoe*
- 206 Caesarean section and respiratory failure *M. Patel and A. Baxter*
D. Bose
- 207 Confirmation of epidural catheter placement *J. L. Isaac*
D. M. Cressey
- 207 Use of a Seldinger wire to change a pulmonary artery catheter *V. S. Dean and L. Bethelmy*
- 208 Infusion disconnect alarms? *P. J. Bickford Smith*
- 208 Age and opioid patient-controlled analgesia use *P. Beaulieu*
- 208 Maintaining patency of central venous pressure lines *D. L. Robinson and R. G. W. Stacey*
- 209 *Helicobacter pylori* *G. Fisher, C. Lerch, J. Symonds and M. Cooper*
- 210 Checking block height prior to Caesarean section *P. Board*
- 210 Anaesthetists and medical training *M. Mercer and P. Board*

Erratum**Hazard Notice**

Number 3, March 1998

Editorial

- 213 Nitrous oxide: time to stop laughing? *A. D. S. Shaw and M. Morgan*

Main articles

- 216 Patient-controlled analgesia: an assessment by 200 patients G. M. Chumbley, G. M. Hall and Peter Salmon
- 222 Requirements for target-controlled infusion of propofol to insert the laryngeal mask airway I. N. Taylor and G. N. C. Kenny
- 227 Consent to clinical trials in anaesthesia J. E. Montgomery and J. R. Sneyd
- 231 Intrathecal diamorphine for analgesia after Caesarean section. A dose finding study and assessment of side-effects M. C. Kelly, U. A. Carabine and R. K. Mirakhor
- 238 A change in resistance? A survey of epidural practice amongst obstetric anaesthetists T. K. Howell, D. P. Prosser and M. Harmer
- 244 Recovery of post-tetanic count and train-of-four responses at the great toe and thumb Y. Saitoh, Y. Fujii, K. Takahashi, K. Makita, H. Tanaka and K. Amaha

Apparatus

- 249 Use of the Combitube airway for airway maintenance during percutaneous tracheostomy A. Mallick, A. C. Quinn, A. R. Bodenham and M. Vucevic
- 256 Evaluation of five oxygen delivery devices in spontaneously breathing subjects by oxymetry T. Waldau, V. H. Larsen and J. Bonde

Special communication

- 264 The theoretical ideal fresh-gas flow sequence at the start of low-flow anaesthesia W. W. Mapleson

Review article

- 273 Anaesthesia for chronic spinal cord lesions P. R. Hambly and B. Martin

Case reports

- 290 Pericardial placement of a pulmonary artery catheter M. E. Cardwell and B. Winter
- 292 Bacterial meningitis following combined spine/epidural analgesia for labour B. Bouhemad, M. Dounas, E. J. Mercier and D. Benhamou

Forum

- 296 Epidural anaesthesia as a method of pre-emptive analgesia for abdominal hysterectomy J. T. Richards, J. R. M. Read and W. A. Chambers
- 299 Prolonged impairment in activities of daily living due to postdural puncture headache after diagnostic lumbar puncture H. Tohmä, E. Vuorinen and A. Muuronen
- 302 The effect of ketamine pretreatment on propofol injection pain in 100 women C. H. Tan, M. K. Onsiong and S. W. Kua
- 305 Caudal epidurals: the whoosh test D. Eastwood, C. Williams and I. Buchan

Correspondence

- 308 Awareness during total intravenous anaesthesia with propofol and remifentanyl A. J. Ogilvy
- 308 Prescribing of opioid analgesia J. Jones and N. G. Lavies
- 309 A new method of drug application to the nasal passage I. Mackenzie
- 310 Circadian pacemakers L. A. Gómez-Bordas, M. R. Nel and A. S. Kurbaan
- 310 Caesarean delivery during cardiac arrest in late pregnancy C. J. L. McCartney and A. Dark
- 311 Gum elastic bougie for difficult double-lumen intubation R. M. Weller
- 311 Comparative trial of spinal needles for Caesarean section J. G. Jenkins, J. M. Hopkinson, A. K. Samaan, I. F. Russell, R. J. S. Birks and M. R. Patrick
- 312 Residual fluid in the laryngeal mask cuff A. Cooney and J. Brimacombe
- 312 Selective serotonin reuptake inhibitors A. N. Chonchubhai
- 313 Subconjunctival haemorrhage following rapid sequence induction in pregnancy J. Putland and M. S. Ballin
- 313 Use of a urethral catheter to remove an upper airway foreign body A. C. Porter
- 314 A potential PCA hazard M. Ma, P. P. Chen, S. Chan and D. Chung
- 314 Anaesthesia for patients with juvenile chronic arthritis (Still's disease) B. L. Smith
- 314 Osteomyelitis following epidural analgesia in an immunocompromised patient M. Kruger, K. Harries and S. Dumont

Number 4, April 1998**Editorial**

- 317 Pain clinics and liaison psychiatry S. J. Dolin and J. P. Stephens

Main articles

- 320 Clinical utility of EEG parameters to predict loss of consciousness and response to skin incision during total intravenous anaesthesia S. Schraag, U. Mohl, U. Bothner and M. Georgieff
- 326 Pre-operative fasting for paediatric anaesthesia. A survey of current practice B. M. Emerson, S. R. Wrigley and M. Newton
- 331 Body posture during simulated tracheal intubation A. J. Matthews, C. J. H. Johnson and N. W. Goodman
- 335 Power spectral analysis of the electroencephalogram during increasing end-expiratory concentrations of isoflurane, desflurane and sevoflurane D. Schwender, M. Daumeder, S. Klasing, U. Finsterer and K. Peter

Apparatus

- 343 The intubating laryngeal mask. Use in failed and difficult intubation *M. J. A. Parr, M. Gregory and P. J. F. Baskett*
- 349 Evaluation of the HemoCue[®] for measuring intra-operative haemoglobin concentrations: a comparison with the Coulter Max-M[®] *A. M. Lardi, C. Hirst, A. J. Mortimer and C. N. McCollum*

Special article

- 353 Anaesthesia and evidence-based medicine
N. W. Goodma

Case reports

- 369 Lung fluid and impedance cardiography
L. A. H. Critchley and J. A. J. H. Critchley
- 373 Sequential changes in gas exchange following traumatic fat embolism *R. M. Burnstein, J. P. Newell and J. G. Jones*
- 378 Recurrent respiratory depression after total intravenous anaesthesia with propofol and alfentanil *J. E. G. Sternlo and R. H. Sandin*

Forum

- 382 Dorsal column function after epidural and spinal blockade: implications for the safety of walking following low-dose regional analgesia for labour
M. G. Parry, R. Fernando, G. P. S. Bawa and B. B. Poulton
- 387 Pre-oxygenation using face mask or mouthpiece with and without nose clip: patient preferences and efficacy
J. Everatt and W. S. Ng
- 390 Comparison of the effect of EMLA and semicircular subcutaneous anaesthesia in the prevention of tourniquet pain during plexus block anaesthesia of the arm *K. T. Tschakowsky and T. Hemmerling*
- 393 Postoperative respiratory function in children after abdominal surgery. A comparison of epidural and intramuscular morphine analgesia *E. Chabas, C. Gomar, A. Villalonga, X. Sala and P. Taura*
- 397 The acute pain service: effective or expensive care?
S. Q. M. Tighe, J. A. Bic, R. A. Nelson and M. A. Skues
- 404 Deaths of members reported to Council
- 404 Call for expert witnesses

Correspondence

- 405 Drug designers in anaesthesia *J. Norman*
D. V. Rutter
- 405 Double cannulation of central veins: multilumen and pulmonary artery catheter introducers *J. Onslow, B. L. Taylor and P. J. McQuillan*
- 406 Are two sides better than one? A simple modification of a stethoscope *G. J. Smurthwaite and P. Butler*
- 407 Cancellation of major surgery due to lack of ITU beds
Y. Tzabar
- 407 The use of filters in anaesthetic breathing systems
J. Heaton, A. P. Hull and D. Fell

- 407 A leak from a three-way tap *A. P. Gorman and O. Dearlove*
A. S. Costello
- 408 Beware unexplained fluid loss *J. A. Kinnear and A. E. Sease*
- 408 Remifentanyl *C. Prys-Roberts, J. Schüttler, H. Breivik and J. Viby-Mogensen*
- 410 Defective arterial monitoring kits *A. Hayes and P. Doherty*
- 410 Postdural puncture headache *V. K. Jaitly and J. P. Millns*
- 411 Are pencil point needles safe for subarachnoid block?
C. B. Collier and M. A. Turner
- 412 Position of antireflux valves *A. P. Makin and A. D. MacLeod*
J. Dumaresq-Lucas
- 413 The anti-emetic efficacy of a combination of ondansetron and droperidol *M. T. V. Chan and T. Gin*
- 413 A survey of postoperative nausea and vomiting
M. Koivuranta and E. Läärä
- 414 Reshaping the Macintosh blade *M. J. L. Bux and C. J. Snijders*
- 414 Cuffed oropharyngeal airway *A. P. Gorman*
- 414 Nitrous oxide cylinders on anaesthetic machines
J. W. Broadway and M. H. Cook
- 414 Management of hypoxaemia during one lung anaesthesia – a suggestion *B. S. K. Kamath, M. O. Abdelatti and X. Mestre*
- 415 The Portex introducer, the laryngeal mask and the edentulous patient *I. R. Taylor and M. L. B. Wood*
- 415 Stylohyoid ligament calcification as a cause of difficult intubation? *W. A. Ames and N. McNellis*
- 416 Opening propofol ampoules *J. Palmer and D. Ball*
- 417 The Teletubbies and anaesthesia *D. A. Varveris and N. G. Smart*

Number 5, May 1998**Editorials**

- 419 Evidence-based intensive care medicine *A. Wijetunge and G. J. Baldock*
- 422 Ethics and research in anaesthesia *J. R. Sneyd*

Main articles

- 424 The effect of education, assessment and a standardised prescription of postoperative pain management. The value of clinical audit in the establishment of acute pain services *M. Harner and K. A. Davies*
- 431 The effect of increasing degrees of spinal flexion on cerebrospinal fluid pressure *J. Dinsmore, R. C. Bacon and T. E. Hollway*
- 435 Anaesthesia and the QT interval. Effects of isoflurane and halothane in unpremedicated children
D. Michaloudis, O. Fraidakis, A. Petrou, C. Gigourtsi and E. Parthenakis

- 440 Anaesthetic induction time for tracheal intubation using sevoflurane or halothane in children *S. Inomata, S. Yamashita, H. Toyooka, Y. Yaguchi, M. Taguchi and S. Sato*
- 446 The influence of premedication on heart rate variability *D. Michaloudis, G. Kochiadakis, G. Georgopoulou, O. Fraidakis, G. Chlouverakis, A. Petrou and B. J. Pollard*
- Apparatus**
- 454 Performance characteristics of a 'to and fro' disposable soda lime canister *M. Shaw and D. H. T. Scott*
- Special article**
- 461 Experiences and attitudes of consultant and nontraining grade anaesthetists to continuing medical education (CME) *K. J. Heath and J. G. Jones*
- Review article**
- 468 Pain on injection of propofol *C. H. Tan and M. K. Onsiong*
- Case reports**
- 477 Complications of percutaneous dilatational tracheostomy in children *C. J. Scott, M. Darowski and D. C. G. Crabbe*
- 480 The cuffed oropharyngeal airway as an aid to fiberoptic intubation *D. W. Pigott, N. H. Kay and R. S. Greenberg*
- 483 Caesarean section following a recent retinal haemorrhage *K. E. Chidley, R. Law and R. G. Vanner*
- Forum**
- 486 The effects of volume and speed of injection in peribulbar anaesthesia *T. Gillart, J. E. Bazin, M. Montetgaud, F. Bevilard, S. Amara and P. Schoeffler*
- 491 The use of low-dose mivacurium to facilitate insertion of the laryngeal mask airway *P. T. Chui and E. W. S. Cheam*
- 495 Comparison of pain from insertion of venous cannulae: a volunteer study *J. M. Brown*
- 496 Exogenous adenosine potentiates hypnosis induced by intravenous anaesthetics *I. Kaputlu, G. Şadan and S. Özdem*
- 501 The effect of mivacurium pretreatment on intra-ocular pressure changes induced by suxamethonium *C. L. Chiu, C. C. Lang, P. K. Wong, A. E. Delilkan and C. Y. Wang*
- 506 The efficacy of ginger root in the prevention of postoperative nausea and vomiting after outpatient gynaecological laparoscopy *S. Vislayaputra, N. Petchpaisit, K. Somcharoen and R. Choavaratana*
- Correspondence**
- 511 Ephedrine/Epinephrine drug label confusion *R. H. James*
- 511 Thoracic epidural analgesia and coronary artery bypass graft surgery *A. Mallick and N. C. Bhaskaran*
- R. P. Alston, C. J. Sinclair and D. H. T. Scott*
- N. B. Scott, D. J. Turfey, D. A. A. Ray and N. P. Sutcliffe*
- 514 A simple approach to dosing in children *G. Meakin*
- 515 Asthma: a plea for commonsense *R. Goodison*
- 515 Ilioinguinal nerve block for orchidopexy *A. Lipp*
- 516 Self-administration of pre-operative analgesic suppositories *T. Coe*
- 516 Sevoflurane and adult acute epiglottitis *T. Donnelly, Y. M. A. Wong and B. V. S. Murthy*
- 516 Warning notices above beds *S. Hughes and G. Smith*
- 517 Old habits, the circle system and short procedures *C. G. Pollock*
- 517 New year, new Anaesthesia *M. Heath*
- 518 **Book reviews**
- 520 **Erratum**
-
- Number 6, June 1998
-
- Editorial**
- 521 Audit and bridging the 'analgesic gap' *G. Smith and I. Power*
- Main articles**
- 523 Reasons for withdrawing treatment in patients receiving intensive care *A. R. Manara, J. A. L. Pittman and E. E. M. Braddon*
- 529 Early postoperative emergencies requiring an intensive care team intervention. The role of ASA physical status and after-hours surgery *A. Lee, M. E. Lum, W. J. O'Regan and K. M. Hillman*
- 536 The best view at laryngoscopy using the McCoy laryngoscope with and without cricoid pressure *T. Randall, M. Määttä and J. Kyttä*
- 540 Respiratory complications associated with tracheal extubation. Timing of tracheal extubation and use of the laryngeal mask during emergence from anaesthesia *K. Koga, T. Asai, R. S. Vaughan and I. P. Latta*
- 545 A system for psychomotor evaluation; design, implementation and practice effects in volunteers *A. T. Hope, P. S. Woolman, W. M. Gray, A. J. Ashbury and K. Millar*
- 551 Peribulbar anaesthesia using a mixture of local anaesthetic and vecuronium *G. Reah, A. R. Bodenham, P. Braithwaite, J. Esmond and M. J. Menage*
- Apparatus**
- 555 Respiratory feedback effects on vaporisers in circle systems *D. White and B. Royston*

- 560 Isoflurane concentrations using uncompensated vaporisers within circle systems *S. Brosnan, B. Royston and D. White*
- 565 An evaluation of the factors influencing selection of the optimal size of laryngeal mask airway in normal adults *A. M. Berry, J. R. Brimacombe, K. F. McManus and M. Goldblatt*

Review article

- 571 Obstructive sleep apnoea syndrome in children *J. P. Warwick and D. G. Mason*

Case reports

- 580 Pneumopericardium: an unusual cause for cardiac arrest *G. Djaiani and E. Major*
- 583 Post-thoracotomy paraplegia coincident with epidural anaesthesia *M. S. Bhuiyan, A. Mallick and M. Parsloe*
- 586 Anaesthesia for Caesarean section in a patient with Charcot Marie-Tooth disease *G. Reah, G. R. Lyons and R. C. Wilson*

Forum

- 589 Occupancy of a teaching hospital adult intensive care unit by high dependency patients *H. Thompson and P. Spiers*
- 593 Acupuncture in the management of chronic pain *C. H. M. Woollam and A. O. Jackson*
- 595 The recognition of critical incidents: quantification of monitor effectiveness *G. P. Findlay, M. J. Spittal and J. J. Radcliffe*
- 598 Pouch of Douglas block for laparoscopic sterilisation *G. Haldane, S. Stott and I. McMenamin*

Correspondence

- 604 Paediatric anaesthesia: who should do it? *S. Ingram and K. Sherry*
- 605 Magnesium sulphate for the control of spasms in severe tetanus *M. E. M. James*
- 606 A new, improved tracheal tube connector *J. B. Liban*
- 606 Caesarean section in the presence of aortic stenosis *S. M. Yentis and D. P. Dob*
- 607 Caesarean section during cardiac arrest *A. McIndoe and E. Hammond*
- 607 Pre-operative analgesics, hat is wrong with the oral route? *C. J. L. McCartney and W. A. Chambers*
- 608 A fibreoptic hazard *E. G. Hadavay*
- 608 Pain on injection of propofol *M. H. Nathanson and N. M. Gajraj*
- 608 Electrical safety – a reminder *A. J. McLaughlin and N. T. A. Campkin*
- 609 An even better bougie *G. D. Stanley and I. R. Appadurai*
- 610 Modification of a simple algometer *M. O. Abdelatti and B. S. K. Kamath*
- 610 Low-flow anaesthesia and the cuffed oropharyngeal airway *T. Asai and M. R. W. Stacey*
- 611 Nitrous oxide *R. Wenstone*

A. D. S. Shaw and M. Morgan

- 611 Corneal abrasions *P. Allen*
- 611 Age as a factor in increasing expressed intensive care demand *R. Caranza and P. Spiers*
- 612 Increasing demand for critical care services *N. Nanduvani and P. Spiers*
- 612 Value of high-dependency units *W. J. Brampton and K. M. Rowan*
- 612 Failure of chest X-rays to diagnose pneumothoraces after blunt trauma *A. G. Conn and A. J. Johnston*
- 613 Pain after vasectomy *R. J. H. Baylis and J. Hazelgrove*
- 613 Dermatomal disparity *R. Thomas and J. Nanson*
- 613 Music and anaesthetists *J. S. M. Zorab*
- 614 **Erratum**

Number 7, July 1998

Editorial

- 615 Anaesthesia and electroconvulsive therapy *K. H. Simpson and L. Lynch*

Main articles

- 618 Continuous microspinal anaesthesia: another perspective on mechanisms inducing cauda equina syndrome *W. K. Ilias, W. Klimscha, G. Skrbensky, R. Weinstabl and A. Widhalm*
- 624 Surgical face masks and downward dispersal of bacteria *H. A. McLure, C. A. Talboys, S. M. Yentis and B. S. Azadian*
- 627 Anatomical variation of cerebral venous drainage: the theoretical effect on jugular bulb blood samples *S. C. Beards, S. Yule, A. Kassner and A. Jackson*
- 634 Ambient oxygen concentrations during simulated cardiopulmonary resuscitation *H. Robertshaw and G. McNulty*
- 638 The effect of potato starch derived and corn starch derived hydroxyethyl starch on in vitro blood coagulation *M. Jannicki, A. Zollinger, B. Seifert, D. Popovic, T. Pasch and D. R. Spahn*

Apparatus

- 645 Awake intubation of the difficult airway with the intubating laryngeal mask airway *J. Shung, M. S. Avidan, R. Ing, D. C. Klein and L. Pott*
- 650 Controlled ventilation using isoflurane with an in-circle vaporiser *D. Wright, S. Brosnan, B. Royston and D. White*

Review articles

- 654 Intermediate care. Possibilities, requirements and solutions *S. A. Ridley*
- 665 The peri-operative management of atrial fibrillation *M. H. Nathanson and N. M. Gajraj*

Special communications

- 677 Impedance cardiology. The impact of new technology
L. A. H. Critchley
- 685 The criminal use of chloroform *J. P. Payne*

Case reports

- 691 Epidural haematoma following anticoagulant treatment
in a patient with an indwelling epidural catheter
R. W. H. Skilton and W. Justice
- 695 The use of remifentanyl in general anaesthesia for
Caesarean section in a patient with mitral valve disease
H. Scott, C. Bateman and M. Price
- 698 The management of metformin overdose
*K. F. H. Teale, A. Devine, H. Stewart and
N. J. H. Harper*

Forum

- 702 Evaluation of intubating conditions with rocuronium
and either propofol or etomidate for rapid sequence
induction *H. J. Skinner, A. Biswas and R. P. Mahajan*
- 706 The influence of intrathecal fentanyl on the
characteristics of subarachnoid block for Caesarean
section *D. Shende, G. M. Cooper and M. I. Bowden*

Correspondence

- 711 Paediatric anaesthesia: who should do it? *C. Heneghan
and C. A. Harrison*
R. McNicol, K. Wilkinson and J. Payne
- 713 Lingual nerve injury associated with laryngeal mask use
A. I. J. Brain and D. Howard
- 714 Requirements for target-controlled infusion of
propofol to insert the laryngeal mask airway
C. J. D. Maile
- 714 A 'his' and 'hers' laryngeal mask? *M. R. Nott*
- 715 Effective use of the cuffed oropharyngeal airway
K. Koga, M. Kaku, T. Sata and A. Shigematsu
- 716 Combitube and percutaneous tracheostomy
L. Roberts and S. Cockcroft
- 716 Multiple trauma and massive blood transfusion
O. Crenar-Gilbert and K. Ravendran
P. J. Horsey
- 717 Do the risks of combined spinal-epidural analgesia in
labour outweigh the benefits? *C. McCartney and
F. MacLennan*
- 718 Intrathecal diamorphine and Caesarean section *R. Jones
and R. G. W. Stacey*
- 718 Checking block height prior to Caesarean section
T. Bourne and A. May
- 718 Current trends in obstetric epidural practice *M. Hough*
- 719 The demise of nitrous oxide – fine for anaesthesia, but
what about sedation? *N. M. Girdler*
- 719 ASA scoring revisited to match fitness with
competence *I. D. Conacher*
- 720 Use of essential oil to promote induction of anaesthesia
in children *S. Mehta, D. N. Stone and H. E. Whitehead*
- 721 Chronic spinal cord lesions – don't forget about Bier's
block *W. A. Chambers*

- 721 Remifentanyl in myasthenia gravis *S. M. Mostafa,
B. V. S. Murthy and E. O. Hughes*
- 722 Tracheal aerosol administration of salbutamol *I. Avery
and I. H. Shaw*
- 722 Application of drugs to the nasal passages
M. J. L. Bux
- 723 Re-inventing the probang? *J. M. Manners*
- 723 A missed opportunity *M. S. Pegg*
- 724 **Book reviews**
- 726 **Deaths of members reported to Council**
- 726 **Safety notice**

Number 8, August 1998**Editorial**

- 727 Regional anaesthesia: before or after general
anaesthesia? *H. B. J. Fischer*

Main articles

- 730 Incident reporting in acute pain management
P. P. Chen, M. Ma, S. Chan and T. E. Oh
- 736 Anaesthetic depth at induction. An evaluation using
clinical eye signs and EEG polysomnography
C. Power, C. Crowe, P. Higgins and D. C. Moriarty
- 744 A comparison of the neuromuscular blocking effects
and reversibility of cisatracurium and atracurium
*M. T. Carroll, R. K. Mirakhur, D. Loury, P. Glover and
C. J. Kerr*
- 749 Closed-loop controlled administration of propofol
using bispectral analysis *E. Mortier, M. Struys,
T. De Smet, L. Versichelen and G. Rolly*
- 755 Serum albumin and colloid osmotic pressure in
survivors and nonsurvivors of prolonged critical illness
M. C. Blunt, J. P. Nicholson and G. R. Park
- 762 Postoperative outcome in high-risk infants undergoing
herniorrhaphy: comparison between spinal and general
anaesthesia *M. Somri, L. Gaitini, S. Vaida, G. Collins,
E. Saho and G. Mogilner*
- 767 The influence of transoesophageal echocardiography
on intra-operative decision making. A European
multicentre study *N. Kolev, R. Brase, J. Swanevelter,
M. Oppizzi, M. J. Riesgo, J. M. A. A. van der Maaten,
M.-G. Abiad, F. Guaracino, M. Zimpfer and the European
Perioperative TOE Research Group*

Special articles

- 774 Latex allergy: a strategy for management *M. J. Dakin
and S. M. Yentis*
- 774 Economics and anaesthesia *W. L. Rowe*

Review article

- 789 Serum albumin: touchstone or totem?
M. P. Margason and N. Soni

Case reports

- 804 Systemic mastocytosis presenting as profound cardiovascular collapse during anaesthesia
S. T. A. Vaughan and G. N. Jones
- 808 The use of lamotrigine in neuropathic pain
P. P. di Vadi and W. Hamann

Forum

- 810 An analysis of training activities in the use of critical care equipment within hospitals in the United Kingdom
F. Fouladinejad and J. R. Roberts
- 817 The cuffed oropharyngeal airway. Its clinical use in 100 patients
T. Asai, K. Koga, R. M. Jones, M. Stacey, I. P. Latta and R. S. Vaughan

Correspondence

- 823 Bacterial meningitis following combined spine/epidural analgesia for labour
S. Thursfield and R. Fernando
- 823 Remifentanyl as an analgesic in the critically ill
A. Main
- 824 Intra-operative bradycardia in gynaecological surgery
D. Buggy, F. Khan and H. Hameedullah
- 825 Pericardial placement of a pulmonary arterial catheter
D. A. Browne and J. F. Cockburn
- 825 Anaesthesia for chronic spinal cord lesions and multiple sclerosis
J. W. H. Watt
- 826 Anaesthesia and evidence-based medicine
C. Brown
- 826 Monitoring of hypoxaemic episodes in the late postoperative period
B. M. F. Leaver, P. D. Larsen, J. M. Torrance and D. C. Galletly
- 827 A dangerous fault with a PCA pump
L. Christie and K. A. W. Cranfield
- 827 Recurrent Horner's syndrome and epidural analgesia in labour
N. Morgan-Hughes and P. Shannon
- 828 Tourniquet pain during brachial plexus block
M. Jöhr and S. Balogh
- 828 Informed consent for suppositories
M. Stocker
- 828 Xenon as a replacement for nitrous oxide
S. K. Chamberlain and G. K. Ciccone
- 829 The 'whoosh' test and caudal anaesthesia
O. Dearlove, R. W. M. Walker and J.-Y. Bigeon
- 829 The aetiology and prevention of peri-operative corneal abrasion
J. G. Brock-Utne
- 829 Humphrey ADE disposable carbon dioxide absorber
P. V. Scott
- 830 The direct flick method for opening ampoules
I. Smith
- 830 An unexpected benefit of anaesthesia
G. M. Cooper

Number 9, September 1998**Editorial**

- 831 ARDS: are we winning at last?
M. Sair and T. W. Evans

Main articles

- 833 Classification trees. A possible method for iso-resource grouping in intensive care
S. A. Ridley, S. Jones, A. Shahani, W. Brampton, M. Nielsen and K. Rowan
- 841 The impact of a high-dependency unit on the workload of an intensive care unit
G. Dhond, S. Ridley and M. Palmer
- 848 Induced hypothermia in the postoperative management of refractory cardiac failure following paediatric cardiac surgery
C. D. Deakin, H. Knight, J. C. Edwards, J. L. Monro, R. K. Lamb, B. Kecton and A. P. Salmon
- 854 Lung aeration and pulmonary gas exchange during lumbar epidural anaesthesia and in the lithotomy position in elderly patients
A. Reber, T. Bein, M. Högman, Z. P. Khan, S. Nilsson and G. Hedenstierna
- 862 The uptake of sevoflurane during anaesthesia
D. A. Vagts and G. G. Lockwood
- 867 Comparison of rocuronium and suxamethonium for use during rapid sequence induction of anaesthesia
K. C. McCourt, L. Salmela, R. K. Mirakhur, M. Carroll, M.-T. Mäkinen, M. Kansanaho, C. Kerr, G. J. Roest and K. T. Olkkola
- 872 Neuromuscular interaction between cisatracurium and mivacurium, atracurium, vecuronium or rocuronium administered in combination
K. S. Kim, Y. S. Chun, S. U. Chon and J. K. Suh
- 879 The effect of intrathecal administration of magnesium sulphate in rats
S. Karasawa, K. Ishizaki and E. Goto

Apparatus

- 887 Revised checklist for anaesthetic machines
J. Kendell and C. Barthram
- 891 Fiberoptic intubation using the cuffed oropharyngeal airway and Aintree intubation catheter
M. Hawkins, E. O'Sullivan and P. Charters

Review article

- 895 Hypophosphataemia. Pathophysiology, effects and management on the intensive care unit
N. C. Bugg and J. A. Jones

Case reports

- 903 Use of the McCoy laryngoscope or fingers to facilitate fibrescope-aided tracheal intubation
T. Asai, S. Matsumoto and K. Shingu
- 905 Gallstones and isoflurane hepatitis
D. J. Meldrum, R. Griffiths and J. G. Kenna

Forum

- 910 Postoperative nausea and vomiting in arthroscopic day-case surgery: a comparison between desflurane and isoflurane
M. B. Hough and B. Sweeney
- 914 Anaesthesia for video-assisted thoracoscopic patent ductus arteriosus ligation
A. D. S. Shaw and J. B. Mitchell

- 917 The effect of acupuncture on the incidence of postextubation laryngospasm in children
C. K. Lee, T. J. Chien, J. C. Hsu, C. Y. Yang, J. M. Hsiao, Y. R. Huang and C. L. Chang
- 921 Gastro-oesophageal reflux during day case gynaecological laparoscopy under positive pressure ventilation: laryngeal mask vs. tracheal intubation
B. Y. M. Ho, H. J. Skinner and R. P. Mahajan

Correspondence

- 925 Dorsal column function after spinal/epidural anaesthesia *D. Buggy*
R. Fernando and M. G. Parry
- 927 Are you all right, Mrs Tilt? *A. Dark and T. Engelhardt*
- 927 Caudal epidurals: the 'whoosh' test
A. M. J. Atherton and I. E. Buchan
- 927 Caudal epidurals: the 'whoosh' test
A. M. J. Atherton and I. E. Buchan
- 928 Iatrogenic puncture of the laryngeal mask airway
A. Patel and A. Pearce
- 929 The intubating laryngeal mask airway (ILMA) in failed and difficult intubation *C. L. Lim, L. Hawthorne and P. C. Ip-Yan*
- 930 Ethics and research in anaesthesia *G. Smith*
- 930 Acute arrhythmias on induction of anaesthesia in a child with a blocked shunt *E. M. C. Ashley and J. O'Riordan*
- 931 Ventilation during percutaneous tracheostomy
D. A. Jones and A. J. Ball
- 931 Percutaneous dilatational tracheostomy in children
M. D. D. Bell
- 932 Dangers of using a pneumatic pressure bag to increase transfusion rate *D. N. Hunter*
- 932 Pain and venous cannulation *J. Nanson*
- 932 Accuracy of bedside haemoglobin measurement
P. P. Chen
- 932 The influence of smoking on postoperative nausea and vomiting *M. Hough and B. Sweeney*
- 933 The Budget: bad news for British anaesthetists in the USA *J. E. Arrowsmith, M. E. Nicol and R. C. Bacon*

Number 10, October 1998

Editorial

- 935 'Retrospective Soliloque' *M. Morgan*

Main articles

- 937 APACHE II, data accuracy and outcome prediction
D. R. Goldhill and A. Sumner
- 944 Evaluation of proposed casemix criteria as a basis for costing patients in the adult general intensive care unit
V. G. Stevens, C. L. Hibbert and D. L. Edbrooke

- 951 Regional analgesia in early active labour: combined spinal epidural vs. epidural *C. Price, L. Lafreniere, C. Brosnan and I. Findley*
- 956 Parental anxiety before elective surgery in children
P. J. Shirley, N. Thompson, M. Kenward and G. Johnston
- 960 The respiratory effects of tramadol in children under halothane anaesthesia *A. T. Bösenberg and S. Ratcliffe*
- 965 The effect of low-dose ketamine on fentanyl-induced respiratory depression *L. Mildh, M. Taittonen, K. Leino and O. Kirvelä*

Apparatus

- 971 Insertion of the 'Combitube' airway with the cervical spine immobilised in a rigid cervical collar
M. H. Mercer and D. A. Gabbott
- 975 Nasal fiberoptic tracheal intubation in anaesthetised patients breathing via a modified laryngeal mask airway
T. M. Cook, R. J. H. Baylis and R. Marjot

Review article

- 980 Epidural and subarachnoid block in children
D. A. Rounney and E. Doyle

Case reports

- 1002 Needle phobia and malignant vasovagal syndrome
P. S. Hart and W. Yanny
- 1004 Phosphate poisoning by ingestion of clothes washing liquid and fabric conditioner *J. C. Vincent and A. Sheikh*
- 1006 All that wheezes is not asthma. Paradoxical vocal cord movement presenting as severe acute asthma requiring ventilatory support *D. M. Murray and P. G. Lawler*

Forum

- 1012 The effect of the addition of adrenaline to pethidine for patient-controlled epidural analgesia after Caesarean section *W. D. Ngan Kee, K. S. Shaw and M. L. Ma*
- 1016 A survey of the practice of thoracic epidural analgesia in the United Kingdom *H. C. Romer and G. N. Russell*
- 1022 Postoperative intrathecal patient-controlled analgesia with bupivacaine, sufentanil or a mixture of both
M. P. Vercauteren, K. Geernaert, V. L. H. Hoffmann, D. Dohmen and H. A. Adriaensen

Correspondence

- 1028 Implementing PCA: the importance of information and control *M. R. Gabrielczyk*
A. M. Cyna, G. M. Chumbley, G. M. Hall and Peter Salmon
- 1030 Oral transmucosal fentanyl *D. Prosser, M. Allman and P. Grashby*
- 1030 Safety of fine-gauge, pencil point spinal needles
J. A. Crowthurst and F. Plaat
- 1031 Another angle on LMA stability *H. J. Skinner and J. G. Hardman*
- 1032 Cuffed oropharyngeal airway (COPA) and pharyngeal tumours *A. Patel and A. Pearce*

- 1032 External or internal jugular cannulation? *M. Duncan*
 1032 Spinal flexion and CSF pressure *J. L. Shah*
J. Dinsmore
 1033 My 'Y-can' can't *A. L. Goldsmith*
S. Shervill
 1033 Unanticipated admission following day surgery
S. Deshpande and J. Watts
 1034 Respiratory insufficiency in Charcot-Marie-Tooth
 disease *N. P. Hirsch*
 1034 The bearded airway *C. Vincent and W. A. Ames*
 1035 Critical incidents *A. Lack*
 1035 Use of suxamethonium in 'cord' patients – whether
 and when *G. A. Gronert*
 1036 An abnormal epiglottis but an easy intubation
R. G. Craig and A. Patwardhan
 1037 Music and anaesthetists *I. Hine*

Number 11, November 1998

Editorial

- 1039 Can we assess professional behaviour in anaesthetists?
K. R. Myerson

Main articles

- 1041 Evaluation of an improved scoring system for the
 grading of direct laryngoscopy *S. M. Yentis and*
D. J. H. Lee
 1045 The effect of lead time bias on severity of illness
 scoring, mortality prediction and standardised
 mortality ratio in intensive care a pilot study
R. D. Tunnell, B. W. Millar and G. B. Smith
 1054 Position and shape of the diaphragm: implications for
 atelectasis formation *A. Reber, U. Nyhlund and*
G. Hedenstierna
 1062 Recovery characteristics using single-breath 8%
 sevoflurane or propofol for induction of anaesthesia
 in day case arthroscopy patients *A. K. Dashfield,*
D. J. Birt, J. Thurlow, I. G. Kestin and J. A. Langton
 1067 Mucosal host defence response to hysterectomy
 assessed by saliva analyses: a comparison of propofol
 and isoflurane anaesthesia *M. Lähdenmäki, M. Salo*
and J. Tenorio

Apparatus

- 1074 The cuffed oropharyngeal airway for spontaneous
 ventilation anaesthesia. Clinical appraisal in 100
 patients *J. Brimacombe and A. Berry*
 1080 The laryngeal mask airway as an aid to training in
 fiberoptic nasotracheal endoscopy *N. A. Osborn,*
A. P. F. Jackson and J. E. Smith
 1084 The intubating laryngeal mask *F. Agrò, J. Brimacombe,*
M. Carassiti, L. Marchionni, A. Morelli and
R. Cataldo

Review article

- 1091 Peri-operative steroid supplementation *G. Nicholson,*
J. M. Burrin and G. M. Hall

Special communication

- 1105 Multiple-choice examinations: adopting an evidence-
 based approach to exam technique *E. J. Hammond,*
A. K. McIndoe, A. J. Sansome and P. M. Spargo

Case reports

- 1109 Suxamethonium and mivacurium sensitivity from
 pregnancy-induced plasma cholinesterase deficiency
P. Davies and M. Landy
 1111 Suxamethonium, masseter spasm and later malignant
 hyperthermia *J. A. Ramirez-R, E. D. Cheetham,*
A. S. Laurence and P. M. Hopkins

Forum

- 1117 A comparison of midazolam co-induction with
 propofol pre-dosing for induction of anaesthesia
L. Anderson and H. Robb
 1120 Pressure changes over the anterior neck during tracheal
 and oesophageal intubation *A. E. Cameron,*
R. A. Hyde, P. Sivalingam and A. J. Asbury
 1125 Low-dose intra-articular ketorolac for pain relief
 following arthroscopy of the knee joint *P. N. Convery,*
K. R. Milligan, P. Quinn, K. Scott and R. C. N. Clarke

Correspondence

- 1130 Pre-operative analgesia – what is wrong with the
 evidence? *M. R. Tramèr, R. A. Moore and H. J. McQuay*
 1130 Route of morphine injections *A. K. Gregg and M. Jones*
 1131 Unilateral lung hyperinflation following tracheal tube
 change *D. A. H. DeBeer, A. J. Mellor and P. Razis*
 1131 Monitoring critical incidents *I. G. Johnston*
 1132 Pencil-point needles and combined spinal epidural
 block. Why needle through needle? *G. N. Morris,*
M. Kinsella and T. A. Thomas
 1132 Are pencil point needles safe for subarachnoid block?
S. M. Ali and G. Samsoon
 1133 Ventilation through a laryngeal mask airway with a
 poor seal *T. Donnelly and M. Davies*
 1133 Magnesium and atrial fibrillation *H. Koelzow and*
M. C. Bellamy
 1134 Charcot-Marie-Tooth disease – suxamethonium and
 malignant hyperthermia triggering agents *P. Mills*
 1134 Oral intake before regional anaesthesia *E. A. J. Morris*
and S. J. Mather
 1135 Pre-operative fasting in children *R. Taylor*
 1135 Unequal blood pressure recordings in the arms
K. J. Gilmore and N. W. Goodman
 1136 A potential hazard with Tracheosoft PERC
 tracheostomy tubes *D. K. Woodward and S. Michael*
 1136 HaemoCue for haemoglobin monitoring *T. J. Luger*
and I. H. Lorenz
 1137 Opening high-dependency beds *D. W. Ryan and*
A. Richardson

1137 Music and anaesthetists *K. Birkinshaw*

1138 Book reviews

Number 12, December 1998

Editorial

1141 Paediatric intensive care – the way ahead? *J. Nicholl and S. Willatts*

Main articles

- 1144 The relevance of clinical and radiological measurements in predicting difficulties in fiberoptic orotracheal intubation in adults *T. Randell, P. Hakala, J. Kyttä and J. Kinnunen*
- 1148 Side-effects of epidural infusions of opioid bupivacaine mixtures *J. A. Gedney and E. H. C. Liu*
- 1156 Influence of anaesthesia on defibrillation threshold *A. Moreman, L. Herregods, R. Tavernier, L. Jordaens, M. Struys and G. Rolly*
- 1160 Comparison of 0.75% levobupivacaine with 0.75% racemic bupivacaine for peribulbar anaesthesia *H. A. McLure and A. P. Rubin*
- 1665 Prophylactic anti-emetic therapy with granisetron, droperidol and metaclopramide in female patients undergoing middle ear surgery *Y. Fujii, H. Toyooka and H. Tanaka*
- 1169 Neuromuscular blocking effects and train-of-four fade with cisatracurium: comparison with other nondepolarising relaxants *M. T. Carroll, R. K. Mirakhur, D. W. Lowry, K. C. McCourt and C. Kerr*

Apparatus

- 1174 The intubating laryngeal mask. Results of a multicentre trial with experience of 500 cases *P. J. F. Baskett, M. J. A. Parr and J. P. Nolan*
- 1180 Predictable normocapnoea in controlled ventilation of infants with Jackson Rees or Bain system *J. W. Park, S. H. Chung, Y. K. Choe, Y. J. Kim, C. M. Shin and Y. J. Park*

Review article

- 1185 Severity of illness scoring systems and performance appraisal *S. A. Ridley*

Special communication

- 1195 Gamma-hydroxybutyric acid: an emerging recreational drug *P. C. A. Kam and F. F. Y. Young*

Case reports

- 1199 Tracheal intubation through the intubating laryngeal mask in a patient with a fixed flexed neck and deviated larynx *T. Asia and K. Shingu*
- 1202 General anaesthesia for thyroplasty *M. Griffin, J. Russell and E. Chambers*
- 1204 Major vascular surgery in a patient with sickle cell disease *A. J. Vipond and L. D. Caldicott*
- 1207 Use of capnography delaying the diagnosis of

tracheal intubation *Y. K. Chan, S. Zuraidah and P. S. K. Tan*

Forum

- 1209 Use and safety of percutaneous tracheostomy in intensive care. Report of a postal survey of ICU practice *R. M. Cooper*
- 1212 Transcutaneous CO₂/O₂ and CO₂/air suction in patients undergoing cataract surgery with retrobulbar anaesthesia *A. Schlager, I. H. Lorenz and T. J. Luger*
- 1218 EMLA patch for spinal puncture. A comparison of EMLA patch with lignocaine infiltration and placebo patch *Z. Koscielniak-Nielsen, L. Hesselbjerg, J. Bruschaj, M. B. Jensen and H. S. Pedersen*
- 1223 Evaluation of remifentanyl for control of haemodynamic response to tracheal intubation *D. McAtamney, R. O'Hare, D. Hughes, U. Carabine and R. Mirakhur*

Correspondence

- 1228 Anaesthesia for ECT *J. Lassner*
- 1228 Acute pain services: a 24-h commitment *A. T. Norman and I. J. B. Jackson*
- 1229 Elective admission of patients to intensive care or high dependency following major surgery *P. O. Older and A. C. Hall*
- 1229 A serious breathing system fault *P. Picton and M. M. Crosse*
- A. H. J. Fraser*
- 1231 Pharyngolaryngeal morbidity with the intubating laryngeal mask airway *J. Brimacombe, C. Keller and A. Berry*
- 1231 Infusion devices: most do not measure the volume infused *J. Amore, J. Mather, D. H. Scott and K. Craig*
- 1232 The epidural potato! *J. Tickney*
- 1232 Cricoid pressure and laryngoscopy *P. H. P. Harris*
- 1233 Anaesthetic monitors – the vanishing trace *E. J. Hammond and D. M. Dixon*
- 1234 Xenon as a replacement for nitrous oxide *I. Bowler, J. Mecklenburgh, J. Dingley and G. Findlay*
- 1234 The sitting position for spinal anaesthesia *M. Dresner, J. Bamber and J. Freeman*
- 1234 Universal Shrader outlets on oxygen regulators *M. J. Garfield*
- N. S. Jones*
- 1236 Latex allergy – strategies for management *T. S. H. Armstrong and J. M. Barr*
- 1236 Spinal anaesthesia for emergency Caesarean section in an achondroplastic dwarf *A. Ravenscroft, T. Govender and C. Rout*
- 1237 A funny thing happened on the way to the scanner *R. Taylor*
- 1238 Hot lines *L. McLoughlin*

Obituary

- 1238 Dr Vernon Frederick Hall *A. K. Adams*
- 1240 Author keyword index



